

Faster, More Comprehensive Brain Tissue Testing During Surgery

A new tool that could allow for faster, more comprehensive testing of brain tissue during surgery successfully identified the cancer type, grade and tumor margins in five brain surgery patients, according to a Purdue University and Brigham and Women's Hospital study. The tool sprays a microscopic stream of charged solvent onto the tissue surface to gather information about its molecular makeup and produces a color-coded image that reveals the nature and concentration of tumor cells.

Researchers analyzed specimens removed from the patients, but the goal is to one day be able to perform the analysis on intact brain tissue during surgery. Purdue researchers designed the tool and collaborated with researchers and physicians at Brigham and Women's Hospital at Harvard Medical School to perform the study. The brain surgery was performed in the Advanced Multi-Modality Image Guided Operating suite, or AMIGO, and in standard operating rooms at Brigham and Women's Hospital. A paper detailing the results will be published in an upcoming issue of the Proceedings of the National Academy of Sciences and is published online.

Dr. Nathalie Agar, director of the Surgical Molecular Imaging Laboratory within the neurosurgery department at Brigham and Women's Hospital, said the findings showed the analysis method's potential and achieved an important step in the path to assessing its value in improving patient care. "This approach could lead to real-time, image-guided surgery without interference with surgical care and without the administration of labeling agents," said Agar, who co-led the study. "Such extensive and detailed information about the tissue was previously unavailable to surgeons and could lead to more precise tumor removal. In addition, having access to a detailed diagnosis on the day of surgery could help the oncologist more efficiently design the course of adjuvant therapy."

Current surgical methods rely on the surgeon's trained eye with the help of an operating microscope and imaging from scans performed before surgery. Pathological examination of specimens taken from the brain during surgery provides the most specific information about the tissue and diagnosis of the cancer. However, this examination of frozen sections takes about half an hour, which is too long for it to be useful in examining multiple samples and guiding surgery, said Dr. Sandro Santagata, a pathologist at Brigham and Women's Hospital who participated in the research.

"The new tool is able - in a matter of seconds - to identify and classify glioma and meningioma tumors and recognize the tumor grade," Santagata said. "It is able to establish the same type of assessment the pathology offers, but at a pace that is compatible with surgery." Surgeons removed 32 specimens from the patients

Faster, More Comprehensive Brain Tissue Testing During Surgery

Published on Surgical Products (<http://www.surgicalproductsmag.com>)

during surgery, which were later analyzed by both the new tool and standard pathology methods to test its accuracy. The results for the patient samples were in very good agreement with standard pathology, Cooks said.

The tool relies on an ambient mass spectrometry analysis technique developed by Cooks and his colleagues called desorption electrospray ionization, or DESI. Mass spectrometry works by first turning molecules into ions, or electrically charged versions of themselves, so that they can be identified by their mass. Through mass analysis of the ions the contents of a sample can be identified.

Livia Eberlin, who was a graduate student at Purdue at the time of the study and participated in the research, said the team expanded and improved the classification system for brain cancers by adding the meningioma tumor type, prior to the study. "The classifier includes the two most common types of brain tumors, gliomas and meningiomas, which combined account for about 65 percent of all brain tumors," said Eberlin, who is now a post-doctoral researcher at Stanford University. "The molecular information that is obtained from this kind of imaging technology allows for an analysis that is much more detailed than what other techniques can offer. We hope that it can one day help the thousands of people affected by brain cancer every year."

The classification results for brain tumor type in the validation studies of banked tissue agreed with standard pathology methods 100 percent of the time. The researchers found that the results of the mass spectrometry analysis of samples taken from the patients during surgery agreed with pathology with very few exceptions, despite the complexity and heterogeneity of the surgical samples. The composition of samples taken from different regions of an individual tumor can differ and tumor cell concentrations are especially variable, Eberlin said.

The team plans to continue to add to and improve the classification software and to develop a miniature mass spectrometer that could be used during surgery. The team also will continue to examine the molecular patterns of cancerous tissue.

In addition to Cooks and Eberlin, co-authors of the paper from Purdue include graduate student Alan Jarmusch. In addition to Agar and Golby, co-authors from Brigham and Women's Hospital include Isaiah Norton, Daniel Orringer, Ian Dunn, Xiaohui Liu and Jennifer Ide of the Department of Neurosurgery; Keith Ligon and Sandro Santagata of the Department of Pathology; and Ferenc Jolesz of the Department of Radiology.

The National Institutes of Health, James S. McDonnell Foundation, Brain Science Foundation and the Daniel E. Ponton Fund for the Neurosciences, and the Klarman Family Foundation funded this research.

Source URL (retrieved on 01/25/2015 - 12:01pm):

http://www.surgicalproductsmag.com/news/2013/01/faster-more-comprehensive-brain-tissue-testing-during-surgery?qt-recent_blogs_articles=0&qt-most_popular=0
